



Item	Description	Specifications	MSRP
IPBase™ 4K AV Distribution Transceivers IPX & VLX Series			
IPX-TC1-F	4K Streaming Transceiver with IPBaseT, SFP+ 10G Fiber, 1G LAN, 2 HDMI® IN, 1 HDMI® Out, RS-232, IR, Audio	Zero Compression/Latency 4K2K streaming over 10G Fiber Network • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • Multi-mode SFP module included • Perfect for large video distribution applications: Conference Centers, Retail, Theme Park, Hotel/Hospitality (Power Supply PS0094-2-US or PS0081-1 sold separately)	€ 1.798,00
IPX-TC1-C	4K Streaming Transceiver with IPBaseT, 10G Copper, 1G LAN, 2 HDMI® IN, 1 HDMI® Out, RS-232, IR, Audio	Zero Compression/Latency 4K2K streaming over 10G Copper Network • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • Perfect for large video distribution applications: Conference Centers, Retail, Theme Park, Hotel/Hospitality (Power Supply PS0094-2-US or PS0081-1 sold separately)	€ 1.598,00
IPX-TC2-F	4K60Hz 4:4:4 Streaming Transceiver with IPBaseT, SFP+ 10G Fiber 1G LAN, 2 HDMI® IN, 1 HDMI® Out, RS-232, IR, Audio	Multi-Window, videowall, & scaling • Zero Compression/Latency 4K2K streaming over 10G Fiber Network • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • Multi-mode SFP+ module included • Perfect for large video distribution applications: Conference Centers, Retail, Theme Park, Hotel/Hospitality (Power Supply PS0094-2-US or PS0081-1 sold separately)	€ 2.798,00
IPX-TC2-C	4K60Hz 4:4:4 Streaming Transceiver with IPBaseT, 10G Copper, 1G LAN, 2 HDMI® IN, 1 HDMI® Out, RS-232, IR, Audio	Multi-Window, videowall, & scaling • Zero Compression/Latency 4K2K streaming over 10G Fiber Network • Seamless Switching up to 128x128 with HDCP • Supports Video Wall modes • Stereo De-embedded Audio Output • Perfect for large video distribution applications: Conference Centers, Retail, Theme Park, Hotel/Hospitality (Power Supply PS0094-2-US or PS0081-1 sold separately)	€ 2.598,00
IPX-TCW3-F-B (Black) IPX-TCW3-F-W (White)	4K Streaming Transceiver Wall Plate with IPBaseT, 10G Fiber, 2 HDMI® Inputs, 1 HDMI® Output	3-Gang Input switching Wall Plate • Zero Compression/Latency 4K2K streaming over 10G Fiber Network • Multi-mode SFP+ module included • USB Port requires USB TC1 option (without used as USB Charging port) (Power Supply PS0094-2-US or PS0081-1 sold separately)	€ 1.998,00
IPX-TCW3-C-B (Black) IPX-TCW3-C-W (White)	4K Streaming Transceiver Wall Plate with IPBaseT, 10G Copper, 2 HDMI® Inputs, 1 HDMI® Output	3-Gang Input switching Wall Plate • Zero Compression/Latency 4K2K streaming over 10G Copper Network • 10G Copper switch required • USB Port requires USB TC1 option (without used as USB Charging port) (Power Supply PS0094-2-US or PS0081-1 sold separately)	€ 1.798,00
QXP-2-IPX	IPX Embedded Linux Control Server for IPX Series	RS-232 Terminal • 10/100/1G LAN (with PoE) • HDMI® 1080P Out & USB for external Keyboard & mouse) • Quad Core Processor with 1G of DDR3 RAM • 8GB Flash • 2-Gang In-wall/Rack Mounting • Works with IPX Manager Software (Power Supply PS0081-1 sold separately)	€ 1.198,00
VLX-TC1-C	4K 1Gbps Streaming Transceiver with 2 HDMI® In, 1 HDMI® Out, RS-232, IR, Audio, LAN, USB 2.0	Visually Lossless 4K streaming over 1G Copper Network • 1.5 Frames Latency • Supports Video Wall modes • Stereo De-embedded Audio Output • Perfect for large video distribution applications: Conference Centers, Retail, Theme Park, Hotel/Hospitality (Power Supply PS0094-2-US or PS0081-1 sold separately)	€ 898,00
VLX-TCW2V-C-B (Black) VLX-TCW2V-C-W (White)	4K 1Gbps Streaming Transceiver Wall Plate with 1 HDMI® In, 1 VGA In, 1 HDMI® Out, RS-232, IR, Audio, LAN, USB 2.0	2-Gang Input switching Wall Plate • Visually Lossless 4K streaming over 1G Copper Network • 1.5 Frames Latency • Supports Video Wall modes • Stereo De-embedded Audio Output • Perfect for large video distribution applications: Conference Centers, Retail, Theme Park, Hotel/Hospitality (Power Supply PS0094-2-US or PS0081-1 sold separately)	€ 1.298,00
VLX-TCW2H-C-B (Black) VLX-TCW2H-C-W (White)	4K 1Gbps Streaming Transceiver Wall Plate with 2 HDMI® In, 1 HDMI® Out, RS-232, IR, Audio, LAN, USB 2.0	2-Gang Input switching Wall Plate • Visually Lossless 4K streaming over 1G Copper Network • 1.5 Frames Latency • Supports Video Wall modes • Stereo De-embedded Audio Output • Perfect for large video distribution applications: Conference Centers, Retail, Theme Park, Hotel/Hospitality (Power Supply PS0094-2-US or PS0081-1 sold separately)	€ 1.298,00
IPBase™ 4K AV Distribution Transceivers IPX Series Switchers			
IPX-SFW-8	10G 8 port Layer 3 Non-blocking SFP+ Fiber Ethernet Switch with 8 1G RJ-45 Ports	260Gbps switching capacity • 191.36Mpps forwarding performance • L2 / L3 full wire-speed forwarding • 8 10G SFP+ optical ports • 8 10/100/1000M RJ45 electrical ports • 1 Console port • 1 OOB management port • Pre-configured for the IPX Series (SFP+ modules sold separately)	€ 2.998,00
IPX-SFW-12	10G 12 port Layer 3 Non-blocking SFP+ Fiber Ethernet Switch with 8 1G RJ-45 Ports	276Gbps switching capacity • 202.36Mpps forwarding performance • L2 / L3 full wire-speed forwarding • 12 10G SFP+ optical ports • 8 10/100/1000M RJ45 electrical ports • 1 Console port • 1 OOB management port • Pre-configured for the IPX Series (SFP+ modules sold separately)	€ 4.398,00
IPX-SFW-24	10G 24 port Layer 3 Non-blocking SFP+ Fiber Ethernet Switch with 8 1G RJ-45 Ports	490Gbps switching capacity • 510Mpps forwarding performance • L2 / L3 full wire-speed forwarding • 24 10G SFP+ optical ports • 4 10/100/1000M RJ45 electrical ports • 1 Console port • 1 OOB management port • Pre-configured for the IPX Series (SFP+ modules sold separately)	€ 9.798,00
IPBase™ 4K AV Distribution Transceivers Options/Accessories			
IPX-DTE-1	IPX Series Dante™ Option Card for IPX-TC1 & IPX-TCW3	Adds Dante™ audio to IPX-TC1 Series	€ 278,00
IPX-DTE-2	IPX Series Dante™ Option Card for IPX-TC2	Adds Dante™ audio to IPX-TC2 Series	€ 278,00
IPX-USB-2	IPX Series USB 2.0 Option Card	Adds USB 2.0 480Mbps to IPX Series	€ 298,00
IPE-DTE-1	VLX & DTX Series Dante™ Option Card	Adds Dante™ audio to VLX & DTX Series	€ 258,00
IPX-TC1-RK1	IPX-TC1/TC2 1RU Dual Rack Mount Kit	Fits up to two IPX-TC1/TC2 units in a single rack space • Includes 1 Blank Plate (IPX-TC1-BLK) & 4 IPX Rails (IPX-TC1-RAIL)	€ 118,00
IPX-TC1-RK5	IPX-TC1/TC2 5RU Dual Rack Mount Kit	Fits up to twelve IPX-TC1/TC2 units in a 5RU rack space • Includes 6 Blank Plates (IPX-TC1-BLK) & 24 IPX Rails (IPX-TC1-RAIL)	€ 238,00
IPX-TC1-BLK	IPX-TC1/TC2 Blank Plate	For use with IPX-TC1-RK1 or IPX-TC1-RK5 Rack Mount Kits	€ 29,98
IPX-TC1-RAIL	IPX-TC1/TC2 Rails	For use with IPX-TC1-RK1 or IPX-TC1-RK5 Rack Mount Kits (Sold in pairs)	€ 29,98
VLX-LCVR-W (White) VLX-LCVR-B (Black)	Blank LAN Cover for VLX Series Wall Plates	Available in Black or White	€ 19,90
VLX-TC1-RK1	VLX-TC1 1RU Dual Rack Mount Kit	Fits up to two VLX-TC1 units in a single rack space • Includes 1 Blank Plate (VLX-TC1-BLK) & 4 VLX Rails (IPX-TC1-RAIL)	€ 118,00
VLX-TC1-RK5	VLX-TC1 5RU Dual Rack Mount Kit	Fits up to twelve VLX-TC1 units in a 5RU rack space • Includes 6 Blank Plates (VLX-TC1-BLK) & 24 IPX Rails (VLX-TC1-RAIL)	€ 398,00
VLX-TC1-BLK	VLX-TC1 Blank Plate	For use with VLX-TC1-RK1 or VLX-TC1-RK5 Rack Mount Kits	€ 29,98
VLX-TC1-RAIL	VLX-TC1 Rails	For use with VLX-TC1-RK1 or VLX-TC1-RK5 Rack Mount Kits (Sold in pairs)	€ 29,98
IPX-SFP-10GMM-1	10G SFP+ Multi-mode LC 50/125 Module		€ 84,00
IPX-SFP-10G32C1	10Gbps SFP+ BIDI Single Mode 1330/1270nm Module 10KM		€ 498,00
IPX-SFP-10G23C1	10Gbps SFP+ BIDI Single Mode 1270/1330nm Module 10KM		€ 498,00
IPX-SFP-10G20	10Gbps SFP+ Dual Single Mode 1310nm Module 20KM		€ 398,00
IPX-SFP-PPC-1	SFP+ 10G Copper Patch Cable 1M		€ 84,00
IPX-SFP-OM3DXLC-1	OM3 Fiber 50/125 Multi-mode LC Patch Cable 1M		€ 19,98
PS0081-1-US	48v DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX, VLX & IPX Series or any device requiring PoE power	€ 59,98
PS0081-1-EU	48v DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX, VLX & IPX Series or any device requiring PoE power	€ 59,98
PS0081-1-AU	48v DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX, VLX & IPX Series or any device requiring PoE power	€ 59,98
PS0081-1-JK	48v DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX, VLX & IPX Series or any device requiring PoE power	€ 59,98
PS0096-1-US	5v DC 25 Watt Desktop Power Supply	For use with IPX Series	€ 59,98
PS0096-1-EU	5v DC 25 Watt Desktop Power Supply	For use with IPX Series	€ 59,98
PS0096-1-AU	5v DC 25 Watt Desktop Power Supply	For use with IPX Series	€ 59,98
PS0096-1-JK	5v DC 25 Watt Desktop Power Supply	For use with IPX Series	€ 59,98
PS0094-2-US	48v DC 24 Watt Power Supply	For use with VLX & IPX Series • Phoenix power connector	€ 40,00
LVR-2G	2-gang Low Voltage Mounting Bracket	For use with IPX, VLX & DXW Series Wall Plates	€ 20,00
LVR-3G	3-gang Low Voltage Mounting Bracket	For use with IPX, VLX & DXW Series Wall Plates	€ 24,00
IPBase™ 4K AV Distribution Transceivers HDMI® 2.0a Cables			
CA-HDMI-XXX-X	HDMI® 2.0a Cables	Resolutions up to 4K2K @ 60Hz 4:4:4 • Full 600MHz Bandwidth with 18Gbps throughput • HDR High Dynamic Range • Flexibility & weight of a thin cable, quality of a thick cable • Easy grip connector & enhanced strain relief • Works even when coiled or pinched (Custom colors are available for order)	€ 0,00
CA-HDMI-RED-0.5	Red	1.6 ft (0.5m)	€ 15,90
CA-HDMI-GRN-0.5	Green	1.6 ft (0.5m)	€ 15,90
CA-HDMI-BLU-0.5	Blue	1.6 ft (0.5m)	€ 15,90
CA-HDMI-YEL-0.5	Yellow	1.6 ft (0.5m)	€ 15,90
CA-HDMI-ORN-0.5	Orange	1.6 ft (0.5m)	€ 15,90
CA-HDMI-BLK-0.5	Black	1.6 ft (0.5m)	€ 15,90
CA-HDMI-RED-1	Red	3.3 ft (1m)	€ 19,90
CA-HDMI-GRN-1	Green	3.3 ft (1m)	€ 19,90
CA-HDMI-BLU-1	Blue	3.3 ft (1m)	€ 19,90

CA-HDMI-YEL-1	Yellow	3.3 ft (1m)	€ 19,90
CA-HDMI-ORN-1	Orange	3.3 ft (1m)	€ 19,90
CA-HDMI-BLK-1	Black	3.3 ft (1m)	€ 19,90
CA-HDMI-RED-2	Red	6.6 ft (2m)	€ 27,90
CA-HDMI-GRN-2	Green	6.6 ft (2m)	€ 27,90
CA-HDMI-BLU-2	Blue	6.6 ft (2m)	€ 27,90
CA-HDMI-YEL-2	Yellow	6.6 ft (2m)	€ 27,90
CA-HDMI-ORN-2	Orange	6.6 ft (2m)	€ 27,90
CA-HDMI-BLK-2	Black	6.6 ft (2m)	€ 27,90
CA-HDMI-RED-3	Red	9.8 ft (3m)	€ 35,90
CA-HDMI-GRN-3	Green	9.8 ft (3m)	€ 35,90
CA-HDMI-BLU-3	Blue	9.8 ft (3m)	€ 35,90
CA-HDMI-YEL-3	Yellow	9.8 ft (3m)	€ 35,90
CA-HDMI-ORN-3	Orange	9.8 ft (3m)	€ 35,90
CA-HDMI-BLK-3	Black	9.8 ft (3m)	€ 35,90
CA-HDMI-RED-5	Red 16.4ft	16.4 ft (5m)	€ 63,90
CA-HDMI-GRN-5	Green 16.4ft	16.4 ft (5m)	€ 63,90
CA-HDMI-BLU-5	Blue 16.4ft	16.4 ft (5m)	€ 63,90
CA-HDMI-YEL-5	Yellow 16.4ft	16.4 ft (5m)	€ 63,90
CA-HDMI-ORN-5	Orange 16.4ft	16.4 ft (5m)	€ 63,90
CA-HDMI-BLK-5	Black 16.4ft	16.4 ft (5m)	€ 63,90

Control QX Series Touch Panel, Control System Processors & Expansion

QXT-700-B (Black), QXT-700-W (White)	Quad Core 7" In-wall IP Touch Panel Control System	7" Color Touch with Integrated Control • 1280x800 Capacitive Touch Screen • Surface Mounts into standard 2-gang box • 170 degrees horizontal & vertical viewing angle • 2 RS-232, 2 IR, 2 I/O, 2 Relay Control Ports • Front IR Input Receiver for Remotes & IR Learning • Full On-Board WACI QX Control Engine • Integrated Web Server with iPad/Tablet Control support • Audio Stereo Line In/Out • 10/100/1000 LAN (Power Supply PS0081-1 sold separately)	€ 1.998,00
QXP-2	Quad Core IP Control System with 2 Serial, 2 IR, 2 Relay & 2 I/O	2 RS-232/422/485 & 2 IR/RS-232 (TX Only) • 2 Relays & 2 I/O • 10/100/1G LAN (with PoE) • HDMI® 1080P Out & USB for use with external touch display • H.264 Decoder for Video streaming • Built in IR Learner • Audio Stereo Line Input/Output • Digital Audio Player (MP3, WAV, etc) • 2-Gang in-wall/rack Mounting • Internal Web Server for hosting Web Control Pages • Supports iPad/Tablet/Computer Control • Port Expansion via LXC-1 or any Aurora QX Control System • Includes CA0061-2 x 1 (Power Supply PS0081-1 sold separately)	€ 1.198,00
QXC-44	Quad Core IP Control System with 4 Serial, 4 IR, 4-Relay & 4 I/O	Non-Proprietary IP Control System • 4 RS-232 • 1 485 • 4 IR/RS-232 (TX Only) • 4 Relays & 4 I/O • 2 1G LAN (LAN1 with PoE) • Built in IR Learner • Audio Stereo Line Input/Output • Digital Audio Player (MP3, WAV, etc) • Internal Web Server for hosting Web Control Pages • Supports iPad/Tablet/Computer Control • Port Expansion via LXC-1 or any Aurora QX Control System • Includes CA0061-2 x 1 (Power Supply sold PS0081-1-5 separately)	€ 1.598,00
LXC-1	IP Port Expansion Module	Low cost, high performance • 32 bit RISC Processor • Telnet/TCP Controlled • 2 Serial Ports • 2 C-Type Relay Ports • 2 Digital I/O Ports • 1 IR Port • 10/100 LAN Power Over Ethernet (PoE) • Integrated Web Server • Integrated Setup Web Pages • Compact size, easily fits under tables, behind displays, & in cabinets • Works with all Aurora IP Control Products & other 3rd Party Controls • Low Power (Power Supply sold separately)	€ 358,00

Control Software Solutions

YIPI 5.0	Web Control / GUI Development Software	Free Touch / Web Panel Creator For WACI • Create NXT & IBZ Touch Panel Pages • Generates an HTML & Flash Interfaces that can be viewed in any Web Browser • Drag & Drop Operations • Easy to Use • 2-Way Feedback • Works with iPad®, iPod Touch®, iPhone® & Android Tablets	€ 0,00
WOWE	Offline Wem Editor (NX Event Manager Code Development Tool)	Programming Software for DXB-8, DXB-8i Button Control Panels & DXW Series Wall Plates • Simple single screen operation • Quick & easy to program	€ 0,00
DXI	Digital Xtreme Interface Programmer Software	Programming Software for DXB-8, DXB-8i Button Control Panels & DXW Series Wall Plates • Simple single screen operation • Quick & easy to program	€ 0,00

Tuner, Audio Amplifier & HDMI® 4k Splitters

VTunePro 4K	Worldwide Tuner	IPTV(UDP/RTP/RTSP Multicast & Unicast) • ATSC/QAM/DVB Worldwide Digital UHD Tuning • NTSC Analog Tuning • H.265, H.264, MPEG 4, MPEG2 & VC-1 up to 4K UHD • Video & HDMI® Outputs • Resolutions: 480i, 480p, 720p, 1080i, 1080p, 4K UHD, 4K2K • Stereo L/R, S/PDIF & Optical Audio Outputs • Dolby® DSS • OSD Menus, Closed Captioning, V-Chip, & EPG • RS-232, LAN, & IR Remote control • Firmware Upgradeable & Cloning via USB Port or LAN • Built-in in Web Page Remote Control 1RU Rack Mount Ears & IR Remote Included	€ 1.398,00
AS-AMP1	Analog Audio Amplifier	2x20 Watt @ 4 Ohm or 1x40 Watt @ 8 Ohm as the default amplifier output • Microphone mixer function: the microphone will be mixed to the line audio & can be separately controlled • 2 stereo audio inputs, switchable by button, IR remote or RS-232 remote • RS-232 Control with smart feedback • LED indicator for power & working status	€ 378,00
DXE-122A	1x2 HDMI® 4k Splitter	Supports HDMI® 2.0a Deep Color & 3D/DVI 1.0 compliant • HDCP 1.4/2.2 compliant • Auto EDID Management • EDID Emulation & Customizable EDID • Resolution up to 4K2K @ 60Hz • HDMI® in, 2 HDMI® out • Wide frequency range: 25MHz~600MHz • Video bandwidth: 18Gbps • Supports xvYCC, x.v.Color, & Deep Color • Mini-USB port for firmware updating & EDID Setup • Supports Dolby Digital™, DTS-HD™ & Dolby TrueHD® Audio • HDMI® & Power Connectors on same side for easy installation • Ultra-low profile to fit behind display	€ 298,00
DXE-142A	1x4 HDMI® 4k Splitter	Supports HDMI® 2.0a Deep Color & 3D/DVI 1.0 compliant • HDCP 1.4/2.2 compliant • Auto EDID Management • EDID Emulation & Customizable EDID • Resolution up to 4K2K @ 60Hz • HDMI® in, 4 HDMI® out • Wide frequency range: 25MHz~600MHz • Video bandwidth: 18Gbps • Supports xvYCC, x.v.Color, & Deep Color • Mini-USB port for firmware updating & EDID Setup • Supports Dolby Digital™, DTS-HD™ & Dolby TrueHD® Audio • HDMI® & Power Connectors on same side for easy installation • Ultra-low profile to fit behind display	€ 458,00

Accessories

QX-RK1	1RU Single Unit Rack Mount	For use with QXC-44 • Hardware Included	€ 98,00
QX-RK2	1RU Dual Unit Rack Mount	For use with QXC-44 • Hardware Included	€ 98,00
IRK-321	19" 3-RU 2-Gang 1-Device Rack-Mount kit	For use with QXT-700, VLX-TCW2 & DXW-2	€ 130,00
CA0061-2	Single IR Emitter	5Ft (1.5m) Length	€ 40,00
CA0062-1	IR Receiver Extension	For use with QX & DXE Series	€ 36,00
PS0079-1-US	12V DC 15.6 Watt Power Supply	For Use with DIDO Series Products	€ 40,00
PS0079-1-EU	12V DC 15.6 Watt Power Supply	For Use with DIDO Series Products	€ 40,00
PS0079-1-AU	12V DC 15.6 Watt Power Supply	For Use with DIDO Series Products	€ 40,00
PS0079-1-JK	12V DC 15.6 Watt Power Supply	For Use with DIDO Series Products	€ 40,00
PS0081-1-US	48V DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX & IPX Series or any device requiring PoE power	€ 59,98
PS0081-1-EU	48V DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX & IPX Series or any device requiring PoE power	€ 59,98
PS0081-1-AU	48V DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX & IPX Series or any device requiring PoE power	€ 59,98
PS0081-1-JK	48V DC 24 Watt PoE Gigabit Power Supply Injector	For use with QX & IPX Series or any device requiring PoE power	€ 59,98
PS0024-1	12V DC 2A Power Supply	For use with VTunePro HD	€ 99,90
PS0098-1	12V DC Power Supply	For use with VTunePro 4K	€ 79,98

HDMI® Matrixes & Video Converters

ASP-442A	4x4 HDMI® 2.0a Matrix	HDMI® 2.0a • Resolutions up to 4K2K @ 60Hz 4:4:4 • HDR High Dynamic Range • HDMI® 3D Compliant • HDCP 2.2 Compliant • Allows any source to be displayed on multiple displays at the same time • Allows any HDMI® display to view any HDMI® source at any time • Supports 7.1 channel digital audio • Advanced EDID Functions • Easy installation with rack-mounting • Front LCD Status Display	€ 2.498,00
ASP-882A	8x8 HDMI® 2.0a Matrix	HDMI® 2.0a • Resolutions up to 4K2K @ 60Hz 4:4:4 • HDR High Dynamic Range • HDMI® 3D Compliant • HDCP 2.2 Compliant • Allows any source to be displayed on multiple displays at the same time • Allows any HDMI® display to view any HDMI® source at any time • Supports 7.1 channel digital audio • Advanced EDID Functions • Easy installation with rack-mounting • Front LCD Status Display	€ 4.998,00
MCX-HTS-K	HDMI® to SDI Converter	HDMI® compatible • Supports Resolutions up to 1080p • Fully HDCP compliant • Auto Detect Resolution of HD-SDI, SD-SDI & 3G-SDI (Power Supply Included)	€ 358,00
MCX-STH-K	SDI to HDMI® Converter	HDMI® compatible • Supports Resolutions up to 1080p • Fully HDCP compliant (Power Supply Included)	€ 298,00
MCX-VTH-K	VGA to HDMI® Converter	HDMI® compatible • Supports Resolutions up to 1080p • Support up to UXGA (1600x1200@60) & WUXGA (1920x1200@60) PC graphics input (Power Supply Included)	€ 198,00

HDMI® Presentation Scaler/Switcher DXP-62 & Kits

DXP-62	Presentation Scaler/Switcher with integrated HDBase™ DXP-62 only (HDBase™ Receiver not included)	4 HDMI® Inputs • 2 VGA/YpPr/C Inputs with 3.5mm TRS Audio • 1 Mic Input • 1 HDMI® Output • 1 HDBase™ Output • Scales input up to 1080p • Line Level L/R Audio Output • Volume Control • Front Panel Button Control with IR & RS-232 Control over HDBase™ • Compatible with HDBase™ Projectors/Displays (Rack Mount included)	€ 1.898,00
DXP-62K-1	Presentation Scaler/Switcher with integrated HDBase™ Kit includes DXP-62 & DXE-CAT-RX1-4K	4 HDMI® Inputs • 2 VGA/YpPr/C Inputs with 3.5mm TRS Audio • 1 Mic Input • 1 HDMI® Output • 1 HDBase™ Output • Scales input up to 1080p • Line Level L/R Audio Output • Volume Control • Front Panel Button Control with IR & RS-232 Control over HDBase™ • Compatible with HDBase™ Projectors/Displays • Ships with DXE-CAT-RX1-4K HDBase™ Receiver (Rack Mount included)	€ 2.198,00
DXP-62K-3	Presentation Scaler/Switcher with integrated HDBase™ Kit includes DXP-62/DXE-CAT-RX3C-A	4 HDMI® Inputs • 2 VGA/YpPr/C Inputs with 3.5mm TRS Audio • 1 Mic Input • 1 HDMI® Output • 1 HDBase™ Output • Scales input up to 1080p • Line Level L/R Audio Output • Volume Control • Front Panel Button Control with IR & RS-232 Control over HDBase™ • Compatible with HDBase™ Projectors/Displays • Ships with DXE-CAT-RX3C-A HDBase™ Receiver/2x35W Integrated Amplifier/2 Relays (Rack Mount included)HDMI	€ 2.158,00

HDBase™ 4K60 4:4:4 Transmitter & Receiver HT Series

HTW-2-W (White) (Black)	HTW-2-B (Black)	3 Input (VGA & HDMI®) HDBase™ 2.0 Wall Plate Transmitter with Reversible USB 2.0 - 330ft CAT Ext. (Unshielded Cable)	2-gang Wall Plate Transmitter with 1 VGA & 2 HDMI® 2.0/HDCP 2.2 Inputs selectable remotely, via front panel (with LED status) or auto sense • Audio Embedding/De-embedding & Audio DSP • Dante™ IP Audio Card option • 10/100 LAN IP Port Expansion • RS-232, IR Output, IR Input & built in IR Receiver • 1 USB 2.0 Type A device port for Host or Device & 1 USB 2.0 Type A device port • Local 48v & remote power (48v Power Supply & Receiver sold separately)	€ 1.298,00
HTE-TX2		2 Input (HDMI®) HDBase™ 2.0 Transmitter with Reversible USB 2.0 - 330ft CAT Ext. (Unshielded Cable) 4K60 4:4:4 HDR 18Gbps	Transmitter with 2 HDMI® 2.0/HDCP 2.2 Inputs selectable remotely, via front panel (with LED status) or auto sense • Audio Embedding/De-embedding & Audio DSP • Dante™ IP Audio Card option • 2 10/100 LAN IP Port Expansion, RS-232, IR Output, IR Input & built in IR Receiver • 2 USB 2.0 Type A device ports & one USB 2.0 micro port • Local 48v or remote power & PoE power via LAN 1 (48v Power Supply & Receiver sold separately)	€ 698,00
HTE-RX2		2 Output (HDMI®) HDBase™ 2.0 Receiver with Reversible USB 2.0 - 330ft CAT Ext. (Unshielded Cable) 4K60 4:4:4 HDR 18Gbps	Receiver with 2 HDMI® 2.0/HDCP 2.2 Outputs selectable remotely, via front panel (with LED status) or auto sense • Audio Embedding/De-embedding & Audio DSP • Dante™ IP Audio Card option • 2 10/100 LAN IP Port Expansion, RS-232, IR Output, IR Input & built in IR Receiver • 2 USB 2.0 Type A device ports & one USB 2.0 micro port • Local 48v or remote power & PoE power via LAN 1 (48v Power Supply & Receiver sold separately)® Matrixes	€ 698,00

One Room - One Cable™ Kits ORC-1 & ORC-3

ORC-1-W (White) (Black)	ORC-1-B (Black)	Complete ORC-1 Kit	(1) DXW-2 Wall Plate, (1) DXE-CAT-RX3-A, (1) DXB-8, (2) SKR-22T (DXB-8 Pre-programmed for DXW-2 & DXE-CAT-RX3-A)	€ 2.798,00
ORC-1C-W (White) (Black)	ORC-1C-B (Black)	Complete ORC-1C Kit with Web Control	(1) DXW-2 Wall Plate, (1) DXE-CAT-RX3C-A, (1) DXB-8, (2) SKR-22T (DXB-8 Pre-programmed for DXW-2 & DXE-CAT-RX3C-A)	€ 2.948,00
ORC-3-W (White) (Black)	ORC-3-B (Black)	Complete ORC-3 Kit with Ethernet & Host Side USB	(1) DXW-2EUH Wall Plate, (1) DXE-USB-D1P, (1) DXE-CAT-RX3-A, (1) DXB-8, (2) SKR-22T (DXB-8 Pre-programmed for DXW-2EUH & DXE-CAT-RX3-A)	€ 3.298,00
ORC-3C-W (White) (Black)&	ORC-3C-B (Black)&	Complete ORC-3C Kit with Ethernet, Host Side USB & Web Control	(1) DXW-2EUH Wall Plate, (1) DXE-USB-D1P, (1) DXE-CAT-RX3-A, (1) DXB-8, (2) SKR-22T (DXB-8 Pre-programmed for DXW-2EUH & DXE-CAT-RX3C-A)	€ 3.448,00

HDBase™ Wall Plate KitsDXE/DXW Series

DXW-2-S1-W-4K (White) (Black)	DXW-2-S1-B-4K (Black)	2 Input (VGA & HDMI®) HDBase™ Wall Plate - 230ft CAT Ext. 4K Kit includes DXW-2 Wall Plate, DXE-CAT-RX1-4K Receiver & PS0080-1 Power Supply	2-gang Wall Plate & Receiver with 1 HDMI®/DVI input & 1 VGA/YpPr input each with its own analog audio input • Inputs are selectable via the front plate, auto-detect or via RS-232 & passed over a single CAT cable up to 230ft • Supports RS-232 & IR extension	€ 1.648,00
DXW-2-S3-W (White) (Black)	DXW-2-S3-B (Black)	2 Input (VGA & HDMI®) HDBase™ Wall Plate - 330/600ft CAT Ext. with Audio I/O Kit includes DXW-2 Wall Plate, DXE-CAT-RX3 Receiver & PS0062-1 Power Supply	DXE-CAT-RX3 features dual Relays & Audio I/O with Balanced Audio De-embedder	€ 1.798,00
DXW-2-S3-A-W (White) (Black)	DXW-2-S3-A-B (Black)	2 Input (VGA, HDMI®) HDBase™ Wall Plate - 330/600ft CAT Ext. with Amplifier Kit includes DXW-2 Wall Plate, DXE-CAT-RX3-A Receiver & PS0077-1 Power Supply	DXE-CAT-RX3-A features 2 Relays • Audio I/O with 2x35W Integrated Amplifier • Ethernet • RS-232 & IR	€ 1.898,00
DXW-2-S3C-W (White) (Black)	DXW-2-S3C-B (Black)	2 Input (VGA, HDMI®) HDBase™ Wall Plate - 330/600ft CAT Ext. with IP Control Kit includes DXW-2 Wall Plate, DXE-CAT-RX3C Receiver & PS0062-1 Power Supply	DXE-CAT-RX3C features 2 Relays • Audio I/O • Web Control Processor • 2 Ethernet Ports • RS-232 & IR	€ 1.898,00
DXW-2EU-S2-W-4K (White) (Black)	DXW-2EU-S2-B-4K (Black)	2 Input (VGA, HDMI® with LAN & USB 2.0) HDBase™ Wall Plate 330/600ft HDMI® & 230ft USB 2.0 Kit includes DXW-2EU Wall Plate, DXE-CAT-RX2-4K Receiver, DXE-USB-H2 USB 2.0 Transmitter & PS0062-2 Power Supply	DXE-USB-H2 unit extends USB from the Wall Plate to a Host Computer	€ 2.098,00
DXW-2EUH-S2-W-4K (White) (Black)	DXW-2EUH-S2-B-4K (Black)	2 Input (VGA, HDMI® with LAN & USB 2.0) HDBase™ Wall Plate 330/600ft HDMI® & 230ft USB 2.0 Kit includes DXW-2EUH Wall Plate, DXE-CAT-RX2-4K Receiver, DXE-USB-D1P USB 2.0 Transmitter, PS0062-2 & PS0080-1 Power Supplies	DXE-USB-D1P unit extends a Computer USB Port from the Wall Plate to a device such as Interactive Projector	€ 2.098,00
DXW-2EU-S3-W (White) (Black)	DXW-2EU-S3-B (Black)	2 Input (VGA, HDMI® with LAN & USB 2.0) HDBase™ Wall Plate - 330/600ft HDMI®/230ft USB 2.0 Ext. with Audio I/O Kit includes DXW-2EU Wall Plate, DXE-CAT-RX3 Receiver, DXE-USB-H2 USB 2.0 Transmitter & PS0062-1 Power Supply	DXE-USB-H2 unit extends USB from the Wall Plate to a Host Computer	€ 2.198,00
DXW-2EUH-S3-W (White) (Black)	DXW-2EUH-S3-B (Black)	2 Input (VGA, HDMI® with LAN & USB 2.0) HDBase™ Wall Plate - 330/600ft HDMI®/230ft USB 2.0 Ext. with Audio I/O Kit includes DXW-2EUH Wall Plate, DXE-CAT-RX3 Receiver, DXE-USB-D1P USB 2.0 Transmitter, PS0062-1-US & PS0080-1-US Power Supplies	DXE-USB-D1P unit extends a computers USB port from the Wall Plate to a device such as Interactive Projector	€ 2.198,00
DXW-2EU-S3C-W (White) (Black)	DXW-2EU-S3C-B (Black)	2 Input (VGA, HDMI® with LAN & USB 2.0) HDBase™ Wall Plate - 330/600ft HDMI®/230ft USB 2.0 Ext. with Audio I/O & Web Control Kit includes DXW-2EU Wall Plate, DXE-CAT-RX3C Receiver, DXE-USB-H2 USB 2.0 Transmitter & PS0062-1 Power Supply	DXE-USB-H2 unit extends USB from the Wall Plate to a Host Computer	€ 2.398,00
DXW-2EUH-S3C-W (White) (Black)	DXW-2EUH-S3C-B (Black)	2 Input (VGA, HDMI® with LAN & USB 2.0) HDBase™ Wall Plate - 330/600ft HDMI®/230ft USB 2.0 Ext. with Audio I/O & Web Control Kit includes DXW-2EUH Wall Plate, DXE-CAT-RX3C Receiver with Audio I/O & Web Control, DXE-USB-D1P USB 2.0 Transmitter, PS0062-1-US & PS0080-1-US Power Supplies	DXE-USB-D1P unit extends a computers USB port from the Wall Plate to a device such as Interactive Projector	€ 2.398,00
DXW-2EUH-S3-A-W (White) (Black)	DXW-2EUH-S3-A-B (Black)	2 Input (VGA, HDMI® with LAN & USB 2.0) HDBase™ Wall Plate - 330/600ft HDMI®/230ft USB 2.0 Ext. with 2x35W Integrated Amplifier Kit includes DXW-2EUH Wall Plate, DXE-CAT-RX3 Receiver with 2 Relays & 2x35W Integrated Amplifier, DXE-USB-D1P USB 2.0 Transmitter, PS0077-1-US & PS0080-1-US Power Supplies	DXE-USB-D1P unit extends a computers USB port from the Wall Plate to a device such as Interactive projector	€ 2.398,00
DXW-2EUH-S3C-A-W (White) (Black)	DXW-2EUH-S3C-A-B (Black)	2 Input (VGA, HDMI® with LAN & USB 2.0) HDBase™ Wall Plate - 330/600ft HDMI®/230ft USB 2.0 Ext. with 2x35W Integrated Amplifier Kit includes DXW-2EUH Wall Plate, DXE-CAT-RX3C receiver with Web Control & 2x35W amplifier, DXE-USB-D1P USB 2.0 Transmitter, PS0077-1-US & PS0080-1-US Power Supplies	DXE-USB-D1P unit extends a computers USB port from the Wall Plate to a device such as Interactive Projector	€ 2.548,00

HDBase™ TransmittersDXE/DXW Series

DXW-2-W (White) (Black)	DXW-2-B (Black)	2 Input (VGA & HDMI®) HDBase™ Wall Plate - 330/600ft CAT Ext. 4K	2-gang Wall Plate Transmitter with 1 HDMI®/DVI input & 1 VGA/YpPr input each with its own analog audio input • Input selectable via the front plate, auto-detect or via RS-232 & passed over a single CAT cable • Supports RS-232 & IR extension with Built-in IR Receiver • Wall Plate compatible with any HDBase™ Compliant Receiver device or display (Power Supply or CAT Receiver sold separately)	€ 1.198,00
DXW-2EU-W (White) (Black)	DXW-2EU-B (Black)	2 Input (VGA, HDMI® with LAN & USB 2.0) HDBase™ Wall Plate 330/600ft HDMI® 4K & 280ft USB Device 2.0 Ext.	2-gang Wall Plate Transmitter with Ethernet & USB 2.0 as well as 1 HDMI®/DVI input & 1 VGA/YpPr input each with its own analog audio input • Input selectable via the front plate, auto-detect or via RS-232 & passed over a single CAT cable • Supports RS-232 & IR Pass through with Built-in IR Receiver • Wall Plate compatible with any HDBase™ Compliant Receiver device or display (USB Extender feature requires the DXE-USB-H1 module, Power Supply or CAT Receiver sold separately)	€ 1.398,00

DXW-2EUH-W (White) DXW-2EUH-B (Black)	2 Input (VGA, HDMI® with LAN & USB 2.0) HDBase™™ Wall Plate 330/600ft HDMI® 4K & 280ft USB Host 2.0 Ext.	2-gang Wall Plate Transmitter with Ethernet & USB 2.0 as well as 1 HDMI®/DVI input & 1 VGA/YpPr input each with its own analog audio input • Inputs selectable via the front plate, auto-detect or via RS-232 & passed over a single CAT cable • Supports RS-232 & IR Pass through with Built-In IR Receiver • Wall Plate compatible with any HDBase™™ Compliant Receiver device or display (USB Extender feature requires the DXE-USB-H1 module, Power Supply or CAT Receiver sold separately)	€ 1,398.00
DXW-3-W (White) DXW-3-B (Black)	3 Input (DisplayPort, VGA & HDMI®) HDBase™™ Wall Plate - 330/600ft CAT Ext.	3-gang Wall Plate Transmitter with 1 DisplayPort, 1 HDMI®/DVI input & 1 VGA/YpPr input each with its own analog audio input • Input selectable via the front plate, auto-detect or via RS-232 & passed over a single CAT cable • Supports RS-232 & IR extension with Built-in IR Receiver • RS-232 Display Control, programmable via DXI Programmer (Power Supply or CAT Receiver sold separately)	€ 1,398.00
DXW-3EU-W (White) DXW-3EU-B (Black)	3 Input (DisplayPort, VGA & HDMI®) HDBase™™ Wall Plate 4K with Ethernet & USB 2.0 Device Side - 330/600ft CAT Ext.	3-gang Wall Plate Transmitter with 1 DisplayPort, 1 HDMI®/DVI input & 1 VGA/YpPr input each with its own analog audio input • Ethernet Port & USB 2.0 Device side (230ft to USB Device over CAT) • Inputs selectable via the front plate, auto-detect or via RS-232 & passed over a single CAT cable • Supports RS-232 & IR extension with Built-in IR Receiver • RS-232 Display Control, programmable via DXI Programmer (Power Supply or CAT Receiver sold separately)	€ 1,598.00
DXW-3EUH-W (White) DXW-3EUH-B (Black)	3 Input (DisplayPort, VGA & HDMI®) HDBase™™ Wall Plate 4K with Ethernet & USB 2.0 Host Side - 330/600ft CAT Ext.	3-gang Wall Plate Transmitter with 1 DisplayPort, 1 HDMI®/DVI input & 1 VGA/YpPr input each with its own analog audio input • Ethernet Port & USB 2.0 Host side (170ft to USB Device over CAT) • Inputs selectable via the front plate, auto-detect or via RS-232 & passed over a single CAT cable. Supports RS-232 & IR extension with Built-in IR Receiver • RS-232 Display Control, programmable via DXI Programmer (Power Supply or CAT Receiver sold separately)	€ 1,598.00
DXE-CAT-TX1-4K	230ft HDBase™™ Transmitter 4K	HDMI® HDBase™™ Transmitter module up to 230ft • Supports RS-232 & IR pass through • Transmitter compatible with any other HDBase™™ Compliant Receiver device or display (Power Supply or CAT Receiver sold separately)	€ 450.00
DXE-CAT-TX2-4K	330/600ft HDBase™™ Transmitter 4K	HDMI® HDBase™™ Transmitter module up to 330ft (600ft with CAT-6a Shielded) • Dual Port LAN, PoE capable with RS-232 & IR pass through • Transmitter compatible with any other HDBase™™ Compliant Receiver device or display (Power Supply or CAT Receiver sold separately)	€ 550.00

HDBase™™ ReceiversDXE/DXW Series

DXW-2-RX1-B-K (Black)	HDMI® HDBase™™ Wall Plate Receiver - 230ft CAT Ext.	2-gang Wall Plate & Receiver with 1 HDMI®/DVI Output • Supports RS-232 & IR Pass thru • Wall Plate Receiver compatible with any other HDBase™™ Compliant Transmitter device (PS0080-1 Power Supply included, CAT Receiver sold separately)	€ 540.00
DXW-2E-RX2-B-K (Black)	HDMI® HDBase™™ Wall Plate Receiver with Ethernet - 330ft CAT Ext. 4K	2-gang Wall Plate & Receiver with 1 HDMI®/DVI Output • 1 RJ45 Ethernet Port • Supports RS-232 & IR Pass thru • Wall Plate Receiver any other HDBase™™ Compliant Transmitter device (PS0080-1 Power Supply included, CAT Receiver sold separately)	€ 698.00
DXE-CAT-RX1-4K	HDBase™™ Receiver 230ft 4K	HDMI® HDBase™™ Receiver module up to 230ft • Supports RS-232 & IR pass through • Receiver compatible with any other HDBase™™ Compliant Transmitter device (PS0080-1 Power Supply sold separately)	€ 450.00
DXE-CAT-RX2-4K	HDBase™™ Receiver 330/600ft 4K	HDMI® HDBase™™ Receiver module up to 330ft (600ft with CAT-6a Shielded) • Dual Port LAN, PoE capable with RS-232 & IR pass through • Receiver compatible with any other HDBase™™ Compliant Transmitter device (PS0080-1 Power Supply sold separately)	€ 550.00
DXE-CAT-RX3	HDBase™™ Receiver 330/600ft with Dual Relay & Audio Line In/Out	Same as DXE-CAT-RX2 with added Dual Relay Control, Audio Line In & De-embedding Line Out. Receiver compatible with any other HDBase™™ Compliant Transmitter device (PS0062-1 Power Supply Included)	€ 650.00
DXE-CAT-RX3-A	HDBase™™ Receiver 330/600ft with Dual Relay & Audio Line In/Out & 2x35W Integrated Amplifier	Same as DXE-CAT-RX3 with added 2x35W Integrated Amplifier • Receiver compatible with any other HDBase™™ Compliant Transmitter device (PS0077-1 Power Supply Included)	€ 898.00
DXE-CAT-RX3C	HDBase™™ Receiver 330/600ft with Dual Relay, Audio Line In/Out & IP Control System	Same as DXE-CAT-RX2 with added Dual Relay Control, Audio Line In and De-embedding Line Out and Web Control Processor • Addressable RS-232 & IR ports • Web Server for iPad/Tablet IP support • Receiver compatible with any other HDBase™™ Compliant Transmitter device (PS0062-1 Power Supply Included)	€ 898.00
DXE-CAT-RX3C-A	HDBase™™ Receiver 330/600ft with Dual Relay, Audio Line In/Out, 2x35W Integrated Amplifier & IP Control System	Same as DXE-CAT-RX3C with added 2x35W Integrated Amplifier • Receiver compatible with any other HDBase™™ Compliant Transmitter device (PS0077-1 Power Supply Included)	€ 1,050.00

HDBase™™ Extenders & USB ReceiversDXE/DXE-USB Series

DXE-CAT-S1-4K	230ft - 1080P 60hz / 4K, 36 Bit Color, IR & RS-232 Kit includes DXE-CAT-TX1-4K, DXE-CAT-RX1-4K & PS0080-1	With a single CAT 5e/6/7 cable, the DXE-CAT-S1 can go up to 230ft 1080p 60Hz / 4K UHD 36bit color depth with bi-directional RS-232, & IR	€ 798.00
DXE-CAT-S2-4K	330/600ft - 1080P 60hz / 4K, 48 Bit Color, IR, RS-232 & Dual Lan Kit includes DXE-CAT-TX2-4K, DXE-CAT-RX2-4K & PS0080-1 Power Supply	With a single CAT 5e/6/7 cable, the DXE-CAT-S2 can go up to 330ft 1080p 60Hz / 4K 48bit color depth with bi-directional RS-232, IR, & LAN (up to 600ft at 24bit color depth with CAT 6a shielded cable)	€ 998.00
DXE-USB-S2	230ft USB 2.0 480Mb CAT-6 (STP) Extender Kit Kit includes DXE-USB-H2, DXE-USB-D2 & PS0080-1 Power Supply		€ 398.00
DXE-USB-H2	USB 2.0 480Mb 230ft CAT Extender Transmitter	Computer/Host Side for DXW-2EU • Extends USB 2.0 480Mbps from USB Host to DXE-USB-D2 or DXW-2EU wall plate up to 230ft over single CAT-6 shielded cable (DXE-USB-D2, DXW-2EU Wall Plate & Power Supply sold separately)	€ 198.00
DXE-USB-D2	USB 2.0 480Mb 230ft CAT Extender Receiver	Destination Side for DXE-USB-H2 • USB 2.0 Receiver 480Mbps from USB Host to DXE-USB-D2 or DXW-2EU wall plate up to 230ft over single CAT-6 shielded cable (DXE-USB-H2, DXW-2EU Wall Plate & Power Supply sold separately)	€ 198.00

HDBase™™ AccessoriesDXE/DXW Series

DXE-CAT-RK3	3RU Rack Mount Kit for DXE-CAT-S1/S2	Fits up to 16 DXE-CAT units in 3RU space	€ 398.00
DXE-CAT-RK3BL	Blank Panel	For use with DXE-CAT-RK3 Rack Mount	€ 8.00
PS0080-1-US	24v DC Power Supply - US	For use with DXE-CAT	€ 40.00
PS0080-1-AU	24v DC Power Supply - AU/CN	For use with DXE-CAT	€ 40.00
PS0080-1-EU	24v DC Power Supply - EU	For use with DXE-CAT	€ 40.00
PS0080-1-UK	24v DC Power Supply - UK	For use with DXE-CAT	€ 40.00
PS0077-1-US	24v DC 90W Power Supply - US	For use with DXE-CAT-RX3-A, RX3C-A	€ 58.00
PS0077-1-AU	24v DC 90W Power Supply - AU	For use with DXE-CAT-RX3-A, RX3C-A	€ 58.00
PS0077-1-EU	24v DC 90W Power Supply - EU	For use with DXE-CAT-RX3-A, RX3C-A	€ 58.00
PS0077-1-UK	24v DC 90W Power Supply - UK	For use with DXE-CAT-RX3-A, RX3C-A	€ 58.00
PS0062-1-US	24v DC 24W Power Supply - US	For use with DXW-2EU, 2EUH, RX3, RX3C	€ 50.00
PS0062-1-AU	24v DC 24W Power Supply - AU	For use with DXW-2EU, 2EUH, RX3, RX3C	€ 50.00
PS0062-1-EU	24v DC 24W Power Supply - EU	For use with DXW-2EU, 2EUH, RX3, RX3C	€ 50.00
PS0062-1-UK	24v DC 24W Power Supply - UK	For use with DXW-2EU, 2EUH, RX3, RX3C	€ 50.00
CA0052-F2T3R	3.5mm TRS to FEMALE DB9 2-TX 3-RX (Null Modem)		€ 20.00
CA0052-F3T2R	3.5mm TRS to FEMALE DB9 3-TX 2-RX		€ 20.00
CA0052-M2T2R	3.5mm TRS to MALE DB9 2-TX 3-RX (Null Modem)		€ 20.00
CA0052-M3T2R	3.5mm TRS to MALE DB9 3-TX 2-RX		€ 20.00
CA0054-1	15pin High Density VGA male connector to 4 RCA female connectors		€ 39.98
LVR-2G	2-gang Low Voltage Mounting Bracket	For use with IPX, VLX & DXW Series Wall Plates	€ 20.00
LVR-3G	3-gang Low Voltage Mounting Bracket	For use with IPX, VLX & DXW Series Wall Plates	€ 24.00

Speakers & Button ControllersSKR & DXB Series

SKR-22T	2x2ft (600mmx600mm) Ceiling Tile Mounted Speaker	25W RMS, 4/8Ohm, Class D Amplification (SKR-22T/SKR-22T-XFR sold as single speaker)	€ 258.00
SKR-22T-XFR	2x2ft (600mmx600mm) Ceiling Tile Mounted Speaker	25W RMS, 70v/100v, Class D Amplification (SKR-22T/SKR-22T-XFR sold as single speaker)	€ 258.00
DXB-8-W (White) DXB-8-B (Black)	Programmable backlit 8-Button Controller	Fits in standard 1-Gang Decora® box • 2 RS-232 ports • Interchangeable laser etched buttons • Standard buttons included: ON, OFF, HDMI, VGA, UP, DN, SCN UP, SCN DN, Mic MUTE & AUDIO MUTE • Designed to work seamlessly with DXW-2 or as a stand-alone controller • Low Depth .48" for Floor & Table Boxes • Powered via DXW-2 or external Power Supply when used as stand-alone (PS0045-5-PHX Power Supply sold separately)	€ 298.00
DXB-8i-W (White) DXB-8i-B (Black)	Programmable backlit 8-Button Controller	Fits in standard 1-Gang Decora® box • 1 RS-232 port • 1 IR port • 1 10/100 Ethernet PoE Port • Interchangeable laser etched buttons • Standard buttons included: ON, OFF, HDMI, VGA, UP, DN, SCN UP, SCN DN, Mic MUTE & AUDIO MUTE • Designed to work seamlessly with DXW, IPX, & VLX Series or as a stand-alone controller • Low Depth 1" for Floor & Table Boxes • PoE Powered (PS0094-2-US Power Supply sold separately)	€ 498.00
DXB-Cxx-W (White) DXB-Cxx-B (Black)	Custom Button Cap for DXB-8/DXB-8i Button Controller	Buttons can be reversed 180 degrees • A blank (non-etched) button is also available, please order DXB-CB-W for white, DXB-CB-B for black Part Number Formula: DXB-C[row][column][color] Example: White PROJ Button PNR = DXB-C2D-W	€ 5.00
PS0045-5-PHX	5v DC 6W Power Supply	For use with DXB-8 (Required when DXB-8 not being used with DXW-2)	€ 36.00
DXI-PK-US	DXI Programming Kit for DXB-8	Kit includes Power Supply PS0045-5-PHX & DB9-Phoenix cable for programming of DXB-8 via DXI Software for easy programming (DXI Software available for download via the customer portal)	€ 58.00

Versandkosten+Hinweise für Lieferungen in Deutschland

Die Preise verstehen sich zzgl. der jeweils gültigen Mehrwertsteuer.
Nachträgliche Preisänderungen und Irrtümer vorbehalten

*****Mit erscheinen dieser Preisliste verlieren alle vorherigen Preislisten Ihre Gültigkeit.*****

Versandkostenpauschalen:

Bestellwert bis netto EUR 200,00: EUR 9,80

Bestellwert bis netto EUR 2.000,00: EUR 13,50

Bestellwert ab netto EUR 2.000,00: frei

Bei Bestellungen mit Bestellwert unter netto EUR 100,00 wird zusätzlich ein Mindermengenzuschlag von EUR 10,00 erhoben!

Expresszuschläge:

Der Expresszuschlag für eine Zustellung am darauffolgenden Werktag bis